DEPARTMENT OF TRANSPORTATION

DIVISION OF ENGINEERING SERVICES
OFFICE ENGINEER
1727 30th Street MS-43
P.O. BOX 168041
SACRAMENTO, CA 95816-8041
FAX (916) 227-6214
www.dot.ca.gov/ng/esc/oe



Serious Drought. Help save water!

August 15, 2014

05-SCr-9-3.8/18.7 05-0Q5904 Project ID 0500000317 ACSTP-S009(020)E

Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN SANTA CRUZ COUNTY AT VARIOUS LOCATIONS FROM 0.9 MILE SOUTH OF GLENGARRY ROAD TO 0.2 MILE NORTH OF MCGAFFIGAN MILL ROAD.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Wednesday, August 27, 2014.

This addendum is being issued to revise the *Notice to Bidders and Special Provisions* and the Federal Minimum Wages with Modification Number 20 dated 08/15/2014.

In the Special Provisions, "Section 8,"PROSECUTION AND PROGRESS," is added as attached.

In the Special Provisions, Section 15-2.03A(2)(b), the following paragraph is added after the first paragraph.

"The salvage storage location is at 13500 Skyline Blvd., Los Gatos, CA 95030"

In the Special Provisions, Section 20-5.05, "LANDSCAPE BOULDERS," is added as attached.

To Bid book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the Notice to Bidders section of the Notice to Bidders and Special Provisions.

Submit the Bid book as described in the Electronic Bidding Guide at the Bidders' Exchange website.

http://www.dot.ca.gov/hq/esc/oe/electronic_bidding/electronic_bidding.html

Inform subcontractors and suppliers as necessary.

Addendum No. 1 Page 2 August 15, 2014

05-SCr-9-3.8/18.7 05-0Q5904 Project ID 0500000317 ACSTP-S009(020)E

This addendum, EBS addendum file, attachments and the modified wage rates are available for the Contractors' download on the Web site:

http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/05/05-0Q5904

If you are not a *Bid* book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

SHARBIBENDER EHLERT

District Director

District 6 Central Region

Attachments

8 PROSECUTION AND PROGRESS

Replace "Reserved" in section 8-1.04C with:

Section 8-1.04B does not apply.

Start job site activities within 55 days after receiving notice that the Contract has been approved by the Attorney General or the attorney appointed and authorized to represent the Department.

Do not start job site activities until the Department authorizes or accepts your submittal for:

1. SSPC QP certifications

You may enter the job site only to measure controlling field dimensions and locate utilities.

Do not start other job site activities until all the submittals from the above list are authorized or accepted.

You may start job site activities before the 55th day after Contract approval if you:

- 1. Obtain specified authorization or acceptance for each submittal before the 55th day
- 2. Receive authorization to start

Submit a notice 72 hours before starting job site activities. If the project has more than 1 location of work, submit a separate notice for each location.

Replace section 20-5.05 with: 20-5.05 LANDSCAPE BOULDERS

20-5.05A GENERAL

Section 20-5.05 includes specifications for furnishing and placing landscape boulders.

20-5.05 B Submittals

Submit the name of the boulder supplier and photos of the boulders for approval. Include size reference of the boulders in the photos.

20-5.05C MATERIALS

Landscape boulders must be granitic rock.

Landscape boulders must be 3 feet in diameter, minimum.

Landscape boulders that vary from the approved color and size, or are visibly scarred will be rejected.

20-5.05D CONSTRUCTION

Place landscape boulders such that 1 foot of the boulder is buried in the ground at the locations shown on plans. After placement and finished grading, wash boulders to remove dust and debris.

20-5.05E PAYMENT

Not used